



RAZON

VTNB L-41 (Matt Concrete Sealer, Color Enhancer)

VTNB L-41 is a

*Colour enhancer,
Matt finish,
UV Resistant,
Concrete surface sealer,
Clear tile lacquer (Matt finish)
Efflorescence and blemish concealer*

specially developed for imparting rich colour and “NEW” or “WET” look finish to

*mosaic tile,
terracotta tiles,
concrete tiles,
roof shingles,
patio, or stamped concrete
external façade,
natural stones and
interlocking paving blocks
garage flooring and driveways and any other construction surface.*

Method of use:

Cast tiles/ interlocking blocks or any other product as usual. Cure product as usual. After complete drying, coat VTNB L-41 by brush or spray or any other appropriate method, ensure even and smooth application for best results. VTNB L-41 must be applied on a dust free surface for blemish free clear coat.

For natural stones, clean the surface well, remove any dust or discolouration by appropriate means. Apply one coat of VTNB L-41 on this surface by brush or spray or any other appropriate method. After 90 minutes apply second coat if desired. Allow 24 hours for curing, where no water must be allowed to fall on the surface.

Safety precautions

Due care should be taken during use and storage to avoid contact with eyes, mouth, skin and foodstuffs. If VTNB L-41 splatters into the eye, wash immediately with water and visit a doctor. Wash VTNB L-41 off with running water if it comes in contact with skin /clothes. Seek immediate medical attention if VTNB L-41 is accidentally swallowed and must be treated symptomatically. Keep away from children and animals. Reseal containers after use. For industrial use only. VTNB L-41 is not hazardous or toxic under normal circumstances

Storage and Shelf life

VTNB L-41 must be stored in a cool dry place, preferably protected from sunlight. VTNB L-41 must not be exposed to temperatures below 5°C and above 50 °C. If the product freezes under climatic conditions, thaw and use a mechanical stirrer to homogenize the admixture. Do not use compressed air to mix the contents of VTNB L-41.


It is strongly recommended that site trials be conducted using site conditions and available raw materials to evaluate the product. Since site materials and conditions are beyond our control and since above suggestions and recommendations are based on our site trials and laboratory product evaluation & trials, and since methods of use at site are beyond our control. Hence, no guarantee can either be implied or enforceable

Failure to comply with the recommended storage conditions may result in premature deterioration of the product or packaging.

NO	PRODUCT – DATA	
1	Color	Clear
2	Viscosity	20 sec B4 Ford Cup
3	Shelf life	1yr for sealed cans stored in cool and dry place.
4	Storage	Store in cool and dry place away from possibility of fire or sparking.
5	Coverage	4-5 sq M per ltr, single coat. Brush application. Higher coverage for spray applications

Fire VTNB L-41 is non flammable.

Packing: 4 ltr buckets, 20 ltr buckets.



OTHER PRODUCTS

- Admixtures for Ready Mix Concrete
- Accelerators for precast concrete
- Mould release agents
- Colour enhancers for coloured concrete
- Glossy Lacquers for plain / colored concrete
- Concrete surface sealers and repellants
- “New / Wet look” coatings for concrete
- Anti Efflorescence admixtures for concrete
- Concrete densifiers and coloured coatings
- Superplasticizer for RCC pipes
- Admixtures for concrete sleepers, and poles
- Admixtures for precast concrete



RAZON ENGINEERING COMPANY PRIVATE LIMITED

660, Taboot Street, P.O.Box No.49, Pune-411001 [India] Website: www.razonengg.com
 Ph: +91-20-2613 0791, +91-20-2613 2217, Telefax: +91-20- 2613 0017 E-mail: razonengg@gmail.com,

AN ISO 9001:2008 ACCREDITED MANUFACTURER



It is strongly recommended that site trials be conducted using site conditions and available raw materials to evaluate the product. Since site materials and conditions are beyond our control and since above suggestions and recommendations are based on our site trials and laboratory product evaluation & trials, and since methods of use at site are beyond our control. Hence, no guarantee can either be implied or enforceable